

RECEIVED

JUL 30 2020

**1.0 INTRODUCTION**

AIR QUALITY DIVISION

**1.1 SUMMARY OF TEST PROGRAM**

Occidental Chemical Corporation (OxyChem) contracted Montrose Air Quality Services, LLC (Montrose) to perform the compliance stack test sampling for the Dry Calcium Chloride Process Pellet Material Handling (EUPELLETHNDL) process at the OxyChem Calcium Chloride Manufacturing facility located in Ludington, Michigan. The OxyChem laboratory subsequently performed the gravimetric analysis on the collected samples. The test was conducted on May 28-29, 2020, to satisfy the emissions testing requirements pursuant to Michigan Department of Environment, Great Lakes, and Energy (EGLE) Renewable Operating Permit No. MI-ROP-B1846-2014.

The specific objectives were to:

- Verify the particulate matter (PM) emissions for the S-1302 venturi scrubber serving EUPELLETHNDL
- Conduct the test program with a focus on safety

Montrose performed the tests to measure the emission parameters listed in Table 1-1.

**TABLE 1-1  
 SUMMARY OF TEST PROGRAM**

Test Date(s)	Unit ID/ Source Name	Activity/ Parameters	Test Methods	No. of Runs	Duration (Minutes)
5/28/2020 - 5/29/3030	EUPELLETHNDL	Velocity/Volumetric Flow Rate	EPA 1 & 2	3	160
5/28/2020 - 5/29/3030	EUPELLETHNDL	O <sub>2</sub> , CO <sub>2</sub>	EPA 3	3	160
5/28/2020 - 5/29/3030	EUPELLETHNDL	Moisture	EPA 4	3	160
5/28/2020 - 5/29/3030	EUPELLETHNDL	PM	EPA 5	3	160

To simplify this report, a list of Units and Abbreviations is included in Appendix D.1. Throughout this report, chemical nomenclature, acronyms, and reporting units are not defined. Please refer to the list for specific details.

This report presents the test results and supporting data, descriptions of the sampling procedures, descriptions of the facility and sampling locations, and a summary of the quality assurance procedures used by Montrose. This report also contains the gravimetric analysis performed by the OxyChem laboratory. The average emission test results are summarized and compared to their respective permit limits in Table 1-2. Detailed results for individual test runs can be found in Section 4.0. All supporting data can be found in the appendices.

The sampling was conducted by the Montrose personnel listed in Table 1-3. The gravimetric analysis was performed by the OxyChem laboratory. Sampling runs were conducted according to the test plan (protocol) dated April 28, 2020 that was submitted to and approved by EGLE.

**TABLE 1-2  
 SUMMARY OF AVERAGE COMPLIANCE RESULTS -  
 EUPELLETHNDL  
 May 28-29, 2020**

Parameter/Units	Average Results	Emission Limits
<b>Total Particulate Matter (PM)</b> lb/1,000 lbs-dry exhaust gas	0.02	0.03

**1.2 KEY PERSONNEL**

A list of project participants is included below:

**Facility Information**

Source Location: Occidental Chemical Corporation  
 OxyChem  
 1600 S. Madison Street  
 Ludington, MI 49431

Project Contact: Steve Jones	Kathryn Nixon
Role: Environmental Manager	Sr. Process Engineer
Company: OxyChem	OxyChem
Telephone: 231-845-4390	231-845-4368
Email: steven_w_jones@oxy.com	kathryn_nixon@oxy.com

Project Contact: Marissa Knudsen  
 Role: Process Engineer  
 Company: OxyChem  
 Telephone: 231-845-4371  
 Email: marissa\_knudsen@oxy.com

**Agency Information**

Regulatory Agency: EGLE  
 Agency Contact: Rob Dickman  
 Telephone: 231-878-4697  
 Email: dickmanr@michigan.gov



## 2.0 PLANT AND SAMPLING LOCATION DESCRIPTIONS

### 2.1 PROCESS DESCRIPTION, OPERATION, AND CONTROL EQUIPMENT

#### 2.1.1 Process Description

Pellet calcium chloride handling process: After water has been removed in a drying process, the pellet calcium chloride is screened, cooled, and conveyed to a storage hopper. The pellet cooler consists of towers which use ambient air to remove heat. The cooler exhaust air is vented to the pellet handling system scrubber, S-1302. Vacuum is maintained on the screening, and conveying equipment by a fan, B-1301, which exhausts to the pellet handling system scrubber, S-1302.

#### 2.1.2 Operation and Control Equipment

Pellet calcium chloride handling scrubber, S-1302: A venturi scrubber followed by a liquid-air separator is used to remove contaminants from the process air. The venturi pressure drop and flow rate are monitored and automatically controlled above the Title V permit minimums. The liquid-air separator portion of the scrubber removes larger entrained liquid droplets by reducing air velocity. The air then passes through a mist elimination section to remove smaller entrained droplets. The air stream is then exhausted through the vent stack.

## 2.2 FLUE GAS SAMPLING LOCATION

Information regarding the sampling location is presented in Table 2-1.

**TABLE 2-1  
 SAMPLING LOCATION**

Sampling Location	Stack Inside Diameter (in.)	Distance from Nearest Disturbance		Number of Traverse Points
		Downstream EPA "B" (in./dia.)	Upstream EPA "A" (in./dia.)	
EUPELLETHNDL S-1302 SV06032 Exhaust Stack	36.0	888.0 / 24.7	300.0 / 8.3	Isokinetic: 32 (8/port); each traverse point samples twice

The sample location was verified in the field to conform to EPA Method 1. Acceptable cyclonic flow conditions were confirmed prior to sampling using EPA Method 1, Section 11.4. See Appendix A.1 for more information.

### 2.3 OPERATING CONDITIONS AND PROCESS DATA

Emission tests were performed while EUPELLETHNDL and S-1302 were operating at the conditions required by the permit.

Occidental Chemical Corporation – Calcium Chloride Mfg (OxyChem)  
2020 Compliance Source Test Report

Plant personnel were responsible for establishing the test conditions and collecting all applicable unit-operating data. The process data that was provided is presented in Appendix B. Data collected includes the following parameters:

- Scrubber flow rate, GPM
- Scrubber venturi differential pressure, in-H<sub>2</sub>O
- Natural gas usage, scfm

### **3.0 SAMPLING AND ANALYTICAL PROCEDURES**

#### **3.1 TEST METHODS**

The test methods for this test program were presented previously in Table 1-1. Additional information regarding specific applications or modifications to standard procedures is presented below.

##### **3.1.1 EPA Method 1, Sample and Velocity Traverses for Stationary Sources**

EPA Method 1 is used to assure that representative measurements of volumetric flow rate are obtained by dividing the cross-section of the stack or duct into equal areas, and then locating a traverse point within each of the equal areas. Acceptable sample locations must be located at least two stack or duct equivalent diameters downstream from a flow disturbance and one-half equivalent diameter upstream from a flow disturbance.

The sample port and traverse point locations are detailed in Appendix A.

##### **3.1.2 EPA Method 2, Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)**

EPA Method 2 is used to measure the gas velocity using an S-type pitot tube connected to a pressure measurement device, and to measure the gas temperature using a calibrated thermocouple connected to a thermocouple indicator. Typically, Type S (Stausscheibe) pitot tubes conforming to the geometric specifications in the test method are used, along with an inclined manometer. The measurements are made at traverse points specified by EPA Method 1.

##### **3.1.3 EPA Method 3, Gas Analysis for the Determination of Dry Molecular Weight**

EPA Method 3 is used to calculate the dry molecular weight of the stack gas using one of three methods. The first choice is to measure the percent O<sub>2</sub> and CO<sub>2</sub> in the gas stream. A gas sample is extracted from a stack by one of the following methods: (1) single-point, grab sampling; (2) single-point, integrated sampling; or (3) multi-point, integrated sampling. The gas sample is analyzed for percent CO<sub>2</sub> and percent O<sub>2</sub> using either an Orsat or a Fyrite analyzer. The second choice is to use stoichiometric calculations to calculate dry molecular weight. The third choice is to use an assigned value of 30.0, in lieu of actual measurements, for processes burning natural gas, coal, or oil.

##### **3.1.4 EPA Method 4, Determination of Moisture Content in Stack Gas**

EPA Method 4 is a manual, non-isokinetic method used to measure the moisture content of gas streams. Gas is sampled at a constant sampling rate through a probe and impinger train. Moisture is removed using a series of pre-weighed impingers containing methodology-specific liquids and silica gel immersed in an ice water bath. The impingers are weighed after each run to determine the percent moisture.


Moisture sampling is performed as part of the pollutant sample train. The typical sampling system is detailed in Figure 3-1.

### 3.1.5 EPA Method 5, Determination of Particulate Matter from Stationary Sources

EPA Method 5 is a manual, isokinetic method used to measure FPM emissions. The samples are analyzed gravimetrically. This method is performed in conjunction with EPA Methods 1 through 4. The stack gas is sampled through a nozzle, probe, filter, and impinger train. FPM results are reported in emission concentration and emission rate units.

The typical sampling system is detailed in Figure 3-1.

**FIGURE 3-1  
US EPA METHOD 5 SAMPLING TRAIN**



### 3.2 PROCESS TEST METHODS

The test plan did not require that process samples be collected during this test program; therefore, no process sample data are presented in this test report.

## 4.0 TEST DISCUSSION AND RESULTS

### 4.1 FIELD TEST DEVIATIONS AND EXCEPTIONS

EPA Method 5, Section 6.1.1.7, stipulates that the filter exit temperature be monitored and recorded during sampling to ensure it remains within the acceptable range,  $248 \pm 25$  °F. Per the method, the filter temperature sensor should be in direct contact with the gas stream. For this test event, the "filter box" temperature was monitored and recorded instead. The "filter box" temperature sensor was outside of the gas stream. The temperatures recorded with the alternate temperature sensor were within the acceptable range.

Oxy Labs performed the gravimetric analysis. The analytical work procedure is available for review upon request.

### 4.2 PRESENTATION OF RESULTS

The average results are compared to the permit limits in Table 1-2. The results of individual compliance test runs performed are presented in Table 4-1. Emissions are reported in units consistent with those in the applicable regulations or requirements. Additional information is included in the appendices as presented in the Table of Contents.

**TABLE 4-1  
 PM EMISSIONS RESULTS -  
 EUPELLETHNDL**

Run Number	1	2	3	Average
<b>Date</b>	5/28/2020	5/28/2020	5/29/2020	--
<b>Time</b>	9:28-12:11	12:35-15:18	8:16-10:59	--
<b>Process Data</b>				
S-1302 Flow rate, GPM	120	120	120	120
S-1302 Venturi differential pressure, in-H <sub>2</sub> O	18	18	18	18
Natural gas usage, scfm	1599	1604	1636	1613
<b>Flue Gas Parameters</b>				
O <sub>2</sub> , % volume dry	21.00	21.00	21.00	21.00
CO <sub>2</sub> , % volume dry	0.00	0.00	0.00	0.00
flue gas temperature, °F	155.9	154.4	158.7	156.3
moisture content, % volume	9.71	9.27	8.68	9.22
volumetric flow rate, dscfm	6,613	6,517	7,857	6,996
<b>Particulate Matter (PM)</b>				
lb/hr	0.6	0.6	0.7	0.6
lb/1,000 lbs-dry exhaust gas	0.02	0.02	0.02	0.02



## **5.0 INTERNAL QA/QC ACTIVITIES**

### **5.1 QA/QC AUDITS**

The meter box and sampling train used during sampling performed within the requirements of their respective methods. All post-test leak checks, minimum metered volumes, minimum sample durations, and percent isokinetics met the applicable QA/QC criteria.

Fyrite analyzer audits were performed during this test in accordance with EPA Method 3, Section 10.1 requirements. The results were within  $\pm 0.5\%$  of the respective audit gas concentrations.

### **5.2 QA/QC DISCUSSION**

All QA/QC criteria were met during this test program.


### **5.3 QUALITY STATEMENT**

Montrose is qualified to conduct this test program and has established a quality management system that led to accreditation with ASTM Standard D7036-04 (Standard Practice for Competence of Air Emission Testing Bodies). Montrose participates in annual functional assessments for conformance with D7036-04 which are conducted by the American Association for Laboratory Accreditation (A2LA). All sampling performed by Montrose is supervised on site by at least one Qualified Individual (QI) as defined in D7036-04 Section 8.3.2. Data quality objectives for estimating measurement uncertainty within the documented limits in the test methods are met by using approved test protocols for each project as defined in D7036-04 Sections 7.2.1 and 12.10. Additional quality assurance information is included in the report appendices. The content of this report is modeled after the EPA Emission Measurement Center Guideline Document (GD-043).

## **APPENDIX A FIELD DATA AND CALCULATIONS**

## Appendix A.1 Sampling Locations

### EUPELLETHNDL SAMPLING LOCATION SCHEMATIC



**EUPELLETHNDL S-1302 SV06032 EXHAUST TRAVERSE POINT LOCATION DRAWING**

