



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
SAGINAW BAY DISTRICT OFFICE



DAN WYANT
DIRECTOR

December 11, 2015

Mr. David Noble
Michigan Sugar Company - Bay City Plant
2600 South Euclid Avenue
Bay City, MI 48706

SRN: B1493, Bay County

Dear Mr. Noble:

VIOLATION NOTICE

On December 8th and 11th, 2015, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted odor evaluations for residential areas surrounding Michigan Sugar Company – Bay City Plant located at 2600 South Euclid Avenue, Bay City, Michigan. The purpose of these odor evaluations was to verify the odors as well as to determine if odors reported were in compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules.

A total of eight (8) complaint(s) of foul odors, attributed to Michigan Sugar Company operations were received for the period from December 4th through December 10th, 2015. The AQD staff detected odors in residential areas downwind of the subject site. Odors noted were reported to be more of a sour-septic and/or manure-like nature.

During the evaluation, staff observed the following:


Process Description	Rule/Permit Condition Violated	Comments
Waste Water Treatment Ponds	901	Strong sour-septic to manure-like odors

In the professional judgment of AQD staff, the odors that were observed were of sufficient intensity, frequency, and duration so as to constitute a violation of Rule 901 (and General Condition number 12 of ROP number MI-ROP-B1490-2011a).

No written response to this Violation Notice is required. Please initiate any additional actions necessary to correct the cited violation and prevent a reoccurrence. If Michigan Sugar Company believes the above observations or statements are inaccurate or do not constitute violation of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Sharon G. LeBlanc
Environmental Quality Analyst
Air Quality Division
989-894-6212

cc/via email: Ms. Lynn Fiedler, DEQ
Ms. Mary Ann Dolehanty, DEQ
Ms. Teresa Seidel, DEQ
Mr. Thomas Hess, DEQ
Mr. Chris Hare, DEQ
Mr. Gary Witzgall, MSC
Mr. Steve Smock, MSC