



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
SAGINAW BAY DISTRICT OFFICE



C. HEIDI GREYER
DIRECTOR

May 16, 2018

Mr. David Noble
Michigan Sugar Company - Bay City Plant
122 Uptown Drive, Suite 300
Bay City, Michigan 48708

SRN: B1493, Bay County

Dear Mr. Noble:

VIOLATION NOTICE

On April 26, 2018, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an odor evaluation for residential areas surrounding Michigan Sugar Company – Bay City Plant located at 2600 South Euclid Avenue, Bay City, Michigan. The purpose of this odor evaluation was to verify the odors as well as to determine if odors reported were in compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules.

A minimum of seven (7) complaints of foul odors, attributed to Michigan Sugar Company – Bay City Plant operations were received for the period of April 21 through April 26, 2018. The AQD staff detected odors in areas downwind of the subject site. Odors noted were reported to be of sewage or manure-like nature.

During the referenced evaluations, staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Michigan Sugar facility	901	Odors reported as detected included strong sewage or manure-like odors.

In the professional judgment of AQD staff, the odors that were observed during the referenced events were of sufficient intensity, frequency and duration so as to constitute a violation of Rule 901 (and General Condition number 12 of ROP number MI-ROP-B1493-2016).

No written response to this Violation Notice is required. Please initiate any additional actions necessary to correct the cited violation and prevent a reoccurrence. If Michigan Sugar Company believes the above observations or statements are inaccurate or do not constitute the violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Mr. David Noble
Page 2
May 2, 2018

Thank you for your attention to resolving the violation cited above. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,

A handwritten signature in cursive script, appearing to read "Kathy Brewer".

Kathy Brewer
Environmental Quality Analyst
Air Quality Division
989-439-2100

cc/via email: Mr. Nick Klein, MSC
Mr. Steve Smock, MSC
Mr. Eric Rupprecht, MSC
Ms. Mary Ann Dolehanty, DEQ
Mr. Craig Fitzner, DEQ
Mr. Chris Ethridge, DEQ
Mr. Malcolm Mead-O'Brien, DEQ
Mr. Chris Hare, DEQ