DEPARTMENT OF ENVIRONMENTAL QUALITY AIR QUALITY DIVISION

FCE Summary Report

SRN:	B2024			
District:	Kalamazoo			
County:	SAINT JOSEPH			
iance :	Compliance			
Source Class: MAJOR Staff: Dennis Dunlap				
Completion :	11/25/2014			
	District : County : iance : Dennis Completion			

List of Partial Compliance Evaluations:

Activity Date	Activity Type	Compliance Status	Comments
11/17/2014	Scheduled Inspection	Compliance	Scheduled inspection.
09/25/2014	Other	Compliance	Review of semiannual 1 ROP certification report. No deviations were reported.
09/11/2014	ROP Semi 1 Cert	Compliance	
03/19/2014	Other	Compliance	Review of annual and semi-annual ROP certification for 2013 (annual) and the last half of 2013 (semi-annual). The facility certified that they were in compliance.
03/19/2014	ROP Annual Cert	Compliance	
03/19/2014	ROP SEMI 2 CERT	Compliance	
03/19/2014	MAERS	Compliance	
09/23/2013	ROP Semi 1 Cert	Compliance	
03/12/2013	MAERS	Compliance	
03/12/2013	ROP SEMI 2 CERT	Compliance	One deviation was reported. The 12-month rolling total number for natural gas for the boilers was not being calculated, although monthly values were. This was corrected in Jan., 2013.
03/12/2013	ROP Annual Cert	Compliance	

Name: Danis Durly Date: 11/25/14 Supervisor: MB 11/25/2014
Page 1 of 1