DEPARTMENT OF ENVIRONMENTAL QUALITY

AIR QUALITY DIVISION

FCE Summary Report

ocation : 9								
Location	920 N. Clinton S	St.					District :	Lansing
							County :	EATON
City: GF	RAND LEDGE	State:	MI	Zip Code :	48837	Comp Status		Non Compliance
Source Class	: MAJOR					Staf	f: Natha	niel Hude
FCE Begin Da	ate : 1/5/2015					FCE Date	Completion	1/15/2016
Comments :	<u></u>							

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments	
01/08/2016	Reg. Applicability Determination	Compliance	In reference to 40CFR63 DDDDD Major Source Boiler MACT	
12/15/2015	Scheduled Inspection	Non Compliance	2 violations was sent due to only 1 of 3 dust collectors were operating for EUROUTING when work was being performed and for insufficient emission factor being used for FGPRESSANDMIXING.	
08/14/2015	ROP Semi 1 Cert	Compliance	Stated compliance with 40CFR63 WWWW and PPPP	
08/14/2015	MACT (Part 63)	Compliance	Dated 7/24/15 States Compliance with 40CFR 63 WWWW and PPPP with no deviations, signed S. Mohnke	
05/18/2015	MAERS	Compliance	Check MAERS for any review comments. Audit completed by B Culham.	
04/07/2015	ROP Tech Review Notes		Pasted notes to MACES	
03/24/2015	ROP Annual Cert	Compliance	Original routed to second floor. Copy requested. Original signed Jan. 16, 2015 S. Mohnke RO.	
03/24/2015	ROP SEMI 2 CERT	Compliance	Original routed to second floor. Copy requested. Original signed Jan. 16, 2015 S. Mohnke RO.	
03/24/2015 MACT (Part 63)		Compliance	Original routed to second floor. Copy requested. Original signed Jan. 16, 2015 S. Mohnke RO. Cert for WWWW and PPPP	

Name:

Date: $\frac{1/20/16}{5}$ Supervisor: $\frac{1}{20}$

Page 1 of 1