



QuarryStone, Inc.
DBA Bichler Concrete & Gravel
6851 Co 426 M.5 Rd, Escanaba, MI 49829
Ph. 906.786.0343
Fax. 906.786.0393
www.bichlerconcrete.com

Received EGLE/AQD	
OCT 13 2022	
Maces _____	Maers _____
File _____	
CC _____	

October 10, 2022

Ms. Lauren Luce
Environmental Quality Analyst
Air Quality Division – Marquette Division
1504 West Washington Street
Marquette, MI 49855

Subject: Response to Violation Notice, September 23, 2022
Bichler Concrete & Gravel – SRN: D0066, Delta County

Dear Ms. Luce:

I am writing in response to your September 23, 2022 Violation Notice. The Violation states that Bichler Concrete & Gravel's haul road processes were emitting opacity in excess of the limit allowed by Special Condition 1.2h of General PTI No. 79-00, therefore in violation of Rule 901.

On September 21, 2022, the day the inspection took place, it was extremely windy which was a contributing factor to fugitive dust. The driveway entrance and scale area in front of the office were swept on September 20, 2022. The person conducting the inspection noted that the driveway area was recently swept and clear of excessive dirt. A list of dates and hours logged by our employees of when the yard was watered was provided on the day of the inspection and is included with this letter. In addition to watering the yard, Delta County Road Commission was hired to apply calcium chloride to main traffic areas in the yard, from front entrance to back gate and around the shop area. This was done on 6/6/22 and again 9/27/22.

We will continue to monitor conditions and take action as necessary, including but not limited to watering the yard, ordering calcium chloride applications more frequently, and regular sweeping of the driveway entrance and scale area.

Please direct any questions related to this response to me at (906)786-0343.

Sincerely,

A handwritten signature in black ink, appearing to read 'Cory Pangborn', with a long horizontal line extending to the right.

Cory Pangborn, President
Bichler Concrete & Gravel

cc: Ms. Jenine Camilleri, EGLE

Date	Per	Column2	Eno	Dept	Dv	Typ	RegH	Ot1H
05/06/22	10	224	AW	A			1.00	
05/09/22	10	156	AW	A			0.75	
05/16/22	11	156	AW	A			1.25	0.75
05/17/22	11	156	AW	A			1.00	
05/18/22	11	156	AW	A			1.50	
05/19/22	11	156	AW	A			1.00	
05/31/22	12	156	AW	A			0.75	
06/02/22	12	156	AW	A			0.75	
06/03/22	12	156	AW	A			0.75	
06/07/22	12	145	AW	A			1.00	0.50
06/08/22	12	224	AW	A			1.00	
06/10/22	12	156	AW	A			0.75	
06/14/22	13	145	AW	A			0.50	
06/17/22	13	156	AW	A			0.75	
06/21/22	13	156	AW	A			2.00	
06/22/22	13	156	AW	A			1.00	
06/24/22	13	156	AW	A			0.75	
06/27/22	14	156	AW	A			1.50	
06/28/22	14	156	AW	A			1.50	
07/01/22	14	156	AW	A			0.75	
07/07/22	14	156	AW	A			0.75	
07/11/22	15	156	AW	A			1.00	
07/15/22	15	156	AW	A			1.50	
07/18/22	15	236	AW	A			8.00	2.00
07/19/22	15	236	AW	A			2.00	
07/20/22	15	156	AW	A			1.00	
07/26/22	16	221	AW	A			1.00	
07/27/22	16	221	AW	A			0.75	
08/11/22	17	156	AW	A			1.50	
08/12/22	17	156	AW	A			0.75	
08/16/22	17	221	AW	A			0.50	
08/17/22	17	156	AW	A			1.00	
08/18/22	17	156	AW	A			1.50	
08/23/22	18	156	AW	A			0.75	
08/30/22	18	221	AW	A				1.00
09/01/22	18	156	AW	A			1.00	
09/09/22	19	221	AW	A				0.50
09/19/22	20	156	AW	A			1.00	
09/22/22	20	156	AW	A			1.50	
09/23/22	20	156	AW	A			1.00	