



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY  
LANSING



PHILLIP D. ROOS  
DIRECTOR

September 23, 2024

VIA E-MAIL

Wayne Wudyka  
Huntington Cleaners  
8775 Capital Street  
Oak Park, Michigan 48237-2361

Establishment Number: 6300290;  
Oakland County

Dear Wayne Wudyka:

**VIOLATION NOTICE**

On September 13, 2024, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD) conducted an inspection of Huntington Cleaners located at 8775 Capital Street, Oak Park, Oakland County. The purpose of this inspection was to determine Huntington Cleaners compliance with the requirements of federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended; and the Air Pollution Control Rules.

Specifically, this dry cleaner is subject to the federal National Perchloroethylene Air Emission Standards for Dry Cleaning Facilities, Title 40 of the Code of Federal Regulations (40 CFR), Part 63, National Emission Standards for Hazardous Air Pollutants for Source Categories, Subpart M and the Public Health Code, Act 368 of 1978, as amended; Dry Cleaning Establishment Rules Utilizing Class I, II, III, and IV Solvents.

During the inspection, staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Commercial, Dry to Dry, Type IV Perchloroethylene dry cleaning facility	40 CFR 63.322(a)	Refrigerated condenser was not working properly and cooling coil temperature gauge on the dry cleaning machine was over 45°F (it was 48°F).
Commercial, Dry to Dry, Type IV Perchloroethylene dry cleaning facility	40 CFR 63.322(o)(1)	The monthly leak check with a halogenated hydrocarbon detector is not being performed.
Commercial, Dry to Dry, Type IV Perchloroethylene dry cleaning facility	40 CFR 63.324(d)(1,2,3,4,5)	The NESHAP temperature, leak detection, repair, and perc purchase logs are not being kept for the dry-cleaning machine.

## VIOLATION NOTICE

Wayne Wudyka

Page 2

September 23, 2024

Also, we recommend that you store the hazardous and non-hazardous waste containers in a secure location, protected from the elements and on an impervious surface.

Please initiate actions necessary to correct the cited violations and submit a written response to this Violation Notice by October 18, 2024. The written response should include: the dates the violations occurred; an explanation of the causes and duration of the violations; whether the violations are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violations and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to Jeremy Howe, Technical Programs Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760 or [HoweJ1@Michigan.gov](mailto:HoweJ1@Michigan.gov) and submit a copy to Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760 or [CamilleriJ@Michigan.gov](mailto:CamilleriJ@Michigan.gov).

If Wayne Wudyka believes the above observations or statements are inaccurate or do not constitute violation(s) of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above and for the cooperation that was extended to me during my inspection on September 13, 2024. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Joseph A. Jaskowski  
Environmental Quality Analyst  
Air Quality Division  
734-564-6724

cc: Annette Switzer, EGLE  
Christopher Ethridge, EGLE  
Brad Myott, EGLE  
Joyce Zhu, EGLE  
Jeremy Howe, EGLE  
Jenine Camilleri, EGLE