



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY  
JACKSON DISTRICT OFFICE



DANIEL EICHINGER  
ACTING DIRECTOR

July 11, 2023

VIA E-MAIL AND U.S. MAIL

Scott Storrar  
Eastern Michigan University  
875 Ann Street  
Ypsilanti, MI 48197

SRN: H5877, Washtenaw County

Dear Scott Storrar:

**VIOLATION NOTICE**

On June 28, 2023, the Department of Environment, Great Lakes and Energy (EGLE), Air Quality Division (AQD), conducted an announced compliance inspection of Eastern Michigan University (EMU) located at 875 Ann Street, Ypsilanti, Michigan. The purpose of this inspection was to determine EMU's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451) and the associated Air Pollution Control Rules, and conditions of Permit to Install (PTI) 39-18.

During the inspection and subsequent records review, AQD staff determined the following:

Process Description	Rule/Permit Condition Violated	Comments
One Solar turbine with heat recovery steam generator (HRSG). The turbine is a Solar Taurus 70-10801S Axial turbine fired with natural gas. The turbine is equipped with So-Lo-Nox technology for the control of NOx emissions.	PTI 39-18, Special Condition EU-POWERGENERATION V. TESTING/SAMPLING 1.  (40 CFR Parts 60.8 and 60.4400.)	EMU last conducted required nitrogen oxide (NOx) testing on May 22, 2018. At a minimum, stack testing is required every 2 years unless they have written/approved parameter monitoring plan.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by August 1, 2023.(21 days from letter date). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and

Scott Storrar  
Eastern Michigan University  
July 11, 2023  
Page 2

are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit written response to the EGLE, AQD Jackson District, at 301 East Louis B Glick Highway, Jackson, Michigan 49201, and submit copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at the DEQ, AQD P.O. Box 30260, Lansing, Michigan 48909-7760.

If EMU believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my recent inspection. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Mike Kovalchick  
Senior Environmental Engineer  
Air Quality Division  
517-416-5025

cc: Scott Miller, EGLE  
Brad Myott, EGLE  
Jenine Camilleri, EGLE  
Jeff Rathbun, EGLE  
Brian Merle, EGLE