

DEPARTMENT OF ENVIRONMENTAL QUALITY
AIR QUALITY DIVISION

FCE Summary Report

Facility : Central Michigan University	SRN : K2460
Location : 1720 S. East Campus Drive	District : Bay City
	County : ISABELLA
City : MOUNT PLEASANT State: MI Zip Code : 48859	Compliance Status : Non Compliance
Source Class : MAJOR	Staff : Benjamin Witkopp
FCE Begin Date : 7/19/2022	FCE Completion Date : 7/19/2023
Comments :	

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
07/19/2023	On-site Inspection	Non Compliance	Facility inspection
04/18/2023	MAERS	Compliance	Received timely
01/26/2023	ROP SEMI 2 CERT	Compliance	Received timely
01/26/2023	ROP Annual Cert	Compliance	Received timely
01/26/2023	CAM Excursions/Exceedances	Compliance	None reported
01/26/2023	CAM monitor downtime	Compliance	None reported
11/29/2022	Stack Test	Compliance	Gas Turbine emissions report - passed with AQD observing
10/19/2022	Stack Test Observation	Unknown	Turbine testing
09/14/2022	ROP Semi 1 Cert	Compliance	Received timely
09/14/2022	CAM Excursions/Exceedances	Compliance	None reported
09/14/2022	CAM monitor downtime	Compliance	None reported

Name: B. Witkopp Date: 9/28/23 Supervisor: C. Kane