



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
DETROIT



C. HEIDI GREETHER  
DIRECTOR

September 28, 2016

Mr. Linwood Bubar, President  
Detroit Renewable Power, LLC  
5700 Russell St.  
Detroit, MI 48211-2545

SRN: M4148, Wayne County

Dear Mr. Bubar:

**VIOLATION NOTICE**

On September 23 and 24, 2016, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), investigated complaints regarding nuisance odors alleged to be the result of operations at Detroit Renewable Power, LLC, located at 5700 Russell Street, Detroit, Michigan. The purpose of the investigation was to determine Detroit Renewable Power's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules; the conditions of Renewable Operating Permit (ROP) number; MI-ROP-M4148-2011a; Consent Judgment File No. 14-1184CE; and to investigate complaints of nuisance odors received on September 23 and 24, 2016.

On September 23, 2016, Mr. Todd Zynda of the AQD performed an investigation from approximately 8:40 PM to 10:10 PM. On September 24, 2016, Mr. Todd Zynda performed an investigation from approximately 9:00 AM to 10:30 AM. During both investigations, the following air pollution violation was observed:

Process Description	Rule/Permit Condition Violated	Comments
Municipal Solid Waste Processing	R 336.1901(b)  ROP No. MI-ROP-M4148-2011a, (A)(G.C.12(b))  Consent Judgment File No. 14-1184CE, VI. Civil Fine and Stipulated Fines, Paragraph B.6.2(b)	Moderate to Strong (Level 3 to 4) garbage odors observed emitting from the facility and impacting nearby neighborhoods.

During the investigations on September 23 and 24, 2016, moderate to strong, consistent garbage odors were detected in residential areas downwind of the facility which were traced back to Detroit Renewable Power. In the AQD staff's professional judgment, the odors observed were of sufficient intensity and frequency so as to

Mr. Linwood Bubar  
Page 2  
September 28, 2016


constitute a violation of Rule 901(b), Section A, General Condition 12(b) of ROP No. MI-ROP-M4148-2011a, and Section VI.B.6.2(b) of Consent Judgment File No. 14-1184CE.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by October 19, 2016 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing.

If Detroit Renewable Power believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above. Should you require any further information, please contact me.

Sincerely,



Todd Zynda, P.E.  
Environmental Engineer  
Air Quality Division  
313-456-2761

cc: Mr. Damian Doerfer, DRP  
Ms. LaReina Wheeler, City of Detroit, BSEED  
cc via email: Mr. John Leone, AG  
Ms. Lynn Fiedler, DEQ  
Ms. Mary Ann Dolehanty, DEQ  
Mr. Christopher Ethridge, DEQ  
Mr. Thomas Hess, DEQ  
Ms. Wilhemina McLemore, DEQ  
Mr. Jeffrey Korniski, DEQ  
Mr. Jonathan Lamb, DEQ