עטאבודא סטאבודא סטאבודא סטאבודא סטאבודא סטאבודא סטאבודא אוא סטאבודא אוא סטאבודא אוא סטאבודא סטאבירא סטאבודא סטאבירא סטאבירא

FCE Summary Report

Comments: The permittee appears to be in compliance with PTI No. 124-01 and 40 CFR Part 63 Subpart T, Halogenated Solvent Cleaning NESHAP.									
0702/82/6		Date	<u> </u>		-		3102/1/1 :		_
Ч	io	Stat				TUO	LdO MS	: sse	Source Cl
Compliance	liance :	Gomp Status	16081	: eboO qiZ	IM	State:	SEN	ЯЯАW	City:
MACOMB	County:								
Warren	District:					ə/	/A sggiЯ 8	208	Location :
1800N	: ияѕ					(ıt Work Inc	niß	Facility:

List of Partial Compliance Evaluations:

Comments	Compliance Status	Activity Type	Activity Date
MAERS Report Submission	Compliance	NAERS	02/01/5050
On-site Inspection	Compliance	Scheduled Inspection	11/51/5019
MAERS Report Submission	Compliance	MAERS	04/30/2019
Halogenated Solvent Cleaner NESHAP, Exceedance Report No exceedance reported.		MACT (Part 63)	6102/81/10
Halogenated Solvent Cleaner NESHAP: Annual Report		MACT (Part 63)	6102/81/10

Name: John Till Date: 9-28-2020 Supervisor: Schartiang Laboration Rade