

DEPARTMENT OF ENVIRONMENTAL QUALITY
AIR QUALITY DIVISION

FCE Summary Report

Facility : INSTASET PLASTICS	SRN : N0106
Location : 10101 MARINE CITY HWY PO BOX 300	District : Southeast Michigan
	County : SAINT CLAIR
City : ANCHORVILLE State: MI Zip Code : 48023	Compliance Status : Compliance
Source Class : MINOR	Staff : Robert Joseph
FCE Begin Date : 8/1/2016	FCE Completion Date : 8/30/2017
Comments : All paint booths and the portable curing oven have been removed from onsite and the facility injection mold process is exempt per Rule 286 (e).	

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
08/30/2017	Scheduled Inspection	Compliance	Inspection to verify work performed and removal of paint booths and oven.
05/19/2017	MAERS	Compliance	MAERS Report Submission. Changed MAERS flag to no because the paint booths, which made them a potential major source, were removed. The facility -wide VOC emissions, from the injection molding, for the 2016 reporting year were only 80.56 pounds. I checked the "Use System Calculated Value" upon request from the preparer, Kurt Clapp.

Name: Robert Joseph Date: 09/28/17 Supervisor: SK