

DEPARTMENT OF ENVIRONMENTAL QUALITY

AIR QUALITY DIVISION

**FCE Summary Report**

<b>Facility :</b> Peter-Lacke USA		<b>SRN :</b>	N1726
<b>Location :</b> 865 STEPHENSON HWY		<b>District :</b>	Southeast Michigan
		<b>County :</b>	OAKLAND
<b>City :</b> TROY	<b>State:</b> MI	<b>Zip Code :</b> 48083	<b>Compliance Status :</b> Compliance
<b>Source Class :</b> SM OPT OUT		<b>Staff :</b>	Shamim Ahammod
<b>FCE Begin Date :</b> 5/6/2019		<b>FCE Completion Date :</b>	5/4/2020
<b>Comments :</b> Conducted a full compliance evaluation.			

**List of Partial Compliance Evaluations :**

Activity Date	Activity Type	Compliance Status	Comments
03/06/2020	Scheduled Inspection	Compliance	Conducted scheduled inspection.
05/31/2019	MAERS	Compliance	MAERS Report submitted on time. Audit complete. Source is using mass balance to calculate emissions. Emissions calculations are attached to MAERS report. 2018 reported emissions were 2,000% more than 2017 reported emissions.

Name:



Date:

July 22, 2020

Supervisor:

