



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY  
DETROIT DISTRICT OFFICE



LIESL EICHLER CLARK  
DIRECTOR

March 24, 2022

Mr. Michael Brieda, Plant Manager  
FCA US LLC – Detroit Assembly Complex Mack  
4000 Saint Jean Street  
Detroit, MI 48214

SRN: N2155, Wayne County

Dear Mr. Brieda:

**VIOLATION NOTICE**

On March 22, 2022, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), investigated complaints of nuisance odors received on March 21, 2022, and March 22, 2022, alleged to be the result of operations at FCA US LLC – Detroit Assembly Complex Mack, located at 4000 Saint Jean Street, Detroit, Michigan. The purpose of this investigation was to determine FCA US LLC – Detroit Assembly Complex Mack’s compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules; Permit to Install (PTI) No. 14-19a; and to investigate a complaint of nuisance odors received on March 22, 2022.

The investigation was performed by Mr. Jonathan Lamb of the AQD from approximately 1:25 PM to 2:35 PM on March 22, 2022. During this investigation, the following violation was observed:

Process Description	Rule/Permit Condition Violated	Comments
FG-AUTOASSEMBLY	R 336.1901(b);  PTI No. 14-19a, General Condition (GC) 6	Objectionable paint/solvent odors of moderate intensity (Level 3) observed emitting from the facility and impacting nearby neighborhoods.

During the investigation performed on March 22, 2022, AQD staff observed objectionable paint/solvent odors of moderate intensity (Level 3) impacting residential areas downwind of the facility which were determined to be emitting from FCA US LLC – Detroit Assembly Complex Mack. In AQD staff’s professional judgment, the odors observed were of sufficient intensity, duration, and frequency to constitute a violation of Rule 901(b), and General Condition 6 of PTI No. 14-19a: an “unreasonable interference with the comfortable enjoyment of life and property.”

Mr. Michael Brieda  
FCA US LLC – Detroit Assembly Complex Mack  
Page 2  
March 24, 2022

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by April 14, 2022 (which coincides with 21 calendar days from the date of this letter). The written response should include: the date the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to EGLE, AQD, Detroit District, at 3058 West Grand Boulevard, Suite 2-300, Detroit, Michigan 48202 and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If FCA US LLC – Detroit Assembly Complex Mack believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,

*Robert Byrnes*

Robert Byrnes  
Environmental Engineer Specialist  
Air Quality Division  
517-275-0439

cc: Ms. Rebecca Payne, FCA US LLC  
Mr. Paul Diven, EHS, FCA US LLC  
Ms. Crystal Rogers, City of Detroit BSEED  
Mr. Hosam N. Hassanien, City of Detroit BSEED  
Ms. Mary Ann Dolehanty, EGLE  
Dr. Eduardo Olaguer, EGLE  
Mr. Christopher Ethridge, EGLE  
Ms. Jenine Camilleri, EGLE  
Dr. April Wendling, EGLE  
Mr. Jeff Korniski, EGLE  
Mr. Jonathan Lamb, EGLE