



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
KALAMAZOO DISTRICT OFFICE



C. HEIDI GREYER  
DIRECTOR

October 3, 2018

Mr. Jessy Conard  
Brembo North America, Inc.  
47765 Halyard Drive  
Plymouth, Michigan 48170

SRN: N6226, Calhoun County

Dear Mr. Conard:

**VIOLATION NOTICE**

The Department of Environmental Quality (DEQ), Air Quality Division (AQD), is in receipt of the revised August 15, 2018, test report submitted by Brembo North America, Inc. (Facility) on August 29, 2018, for their foundry operations, located at 29991 M-60 East, Homer, Michigan. The emission testing was performed April 23-26, 2018, (EUSHAKEOUT, FGPOURCOOL, FGSANDHANDLG, FGMELTING and FGMACTEEEEEE); and June 5, 2018, (FGSANDHNDLG; VOC RATA), to determine compliance with Permit to Install (PTI) No. 199-14A. The revised August 15, 2018, test report includes total filterable particulate matter results for FGMACTEEEEEE.

Based on a review of the revised emission test report, staff of the AQD noted the following violation:

Process Description	Rule/Permit Condition Violated	Comments
FGMACTEEEEEE	PTI No. 199-14A, Condition I.2, 40 CFR 63.7690(a)(4)(i)	Particulate matter emission limit is 0.001 grains (gr)/dry standard cubic foot (dscf). The average tested rate was 0.0024 gr/dscf.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by October 24, 2018 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Mr. Jessy Conard  
Page 2  
October 3, 2018

Please submit the written response to the DEQ, AQD, 7953 Adobe Road, Kalamazoo, Michigan 49009; and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor, DEQ, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above. If you have any questions regarding the violation or the actions necessary to bring this Facility into compliance, please contact me at the telephone number listed below.

Sincerely,



Rex I. Lane  
Senior Environmental Quality Analyst  
Air Quality Division  
269-567-3547

RIL:CF

cc: Mr. Daniel Sandberg, Brembo  
Ms. Mary Ann Dolehanty, DEQ  
Mr. Craig Fitzner, DEQ  
Mr. Christopher Ethridge, DEQ  
Ms. Jenine Camilleri, DEQ  
Ms. Mary Douglas, DEQ