

# STATE OF MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

#### LANSING DISTRICT OFFICE



SRN: N7885, Genesee County

July 21, 2020

Mr. Jason Roughton, President RJ Industrial Recycling 5061 Energy Drive Flint, Michigan 48505

Dear Mr. Roughton:

#### **VIOLATION NOTICE**

On May 4, 2020, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), conducted visible emissions of RJ Torching, Inc. (RJ Torching) located at G-5167 North Dort Highway, Flint, Michigan. The purpose of these readings, conducted from offsite, was to determine RJ Torching's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the Air Pollution Control Rules; and United States Environmental Protection Agency (U.S. EPA) Consent Order ACO-5-15-113(a)-MI-02.

On May 4, 2020, staff observed the following:

Rule/Permit			
Process Description	Condition Violated	Comments	
Torch cutting of scrap	Rule 301	Visible emissions from	
metal near south end of		torch cutting	
site		operations exceeded	
		both the 6-minute	
		average of 20% and the	
		one 6-minute average	
		exception per hour of not	
		more than 27% opacity	
Torch cutting of scrap	Administrative Consent Order	Visible emissions	
metal near south end of	ACO-EPA 5-15-113(a)-MI-02,	exceeded the opacity	
site	Paragraph 21	allowed by the Michigan	
		State implementation	
		Plan.	
Torch cutting of scrap	Administrative Consent Order	Excessive visible	
metal near south end of	ACO-EPA 5-15-113(a)-MI-02,	emissions did not reflect	
site	Paragraph 22	best management	
		practices.	

Mr. Jason Roughton RJ Industrial Recycling Page 2 July 21, 2020

During this observation, it was noted that one or more torch cutting processes were emitting opacity in the excess of emissions allowed by Rule 301 of the administrative rules promulgated under Act 451.

Enclosed are copies of the instantaneous and six-minute average readings taken from offsite on May 4, 2020. The highest 6-minute averages were as follows:

- Page 1; highest 6-minute average opacity reading: 32.71%; from 11:11:15 AM to 11:17:00 AM
- Page 1; second highest 6-minute average opacity reading: 31.67%, from 11:11:00 AM to 11:16:45 AM.
- Page 2; highest 6-minute average opacity reading: 27.5%; from 11:27:15 AM to 11:33:00 AM.
- Page 2; second highest 6-minute average opacity reading: 26.25%; from 11:26:15 AM to 11:32:00 AM.

The visible emissions described above exceed the opacity limit and violate the Michigan State Implementation Plan (SIP), R336.1301(a). Additionally, the visible emissions described above constitute violations of Paragraph 21 and 22 of ACO-EPA-5-15-113(a)-MI-02.

Paragraph 21 of ACO-EPA-5-15-113(a)-MI-02 states, "By the effective date of this Order, RJ must achieve, demonstrate and maintain order with the Michigan SIP at its Battle Creek and Flint facilities." The opacity observed from the Flint facility on May 4, 2020, exceeded the opacity limit of Rule 301 from the Michigan SIP. Therefore, the Michigan SIP has not been complied with, in violation of the ACO.

Paragraph 22 of ACO-EPA-5-15-113(a)-MI-02 states, "By the effective date of this Order, RJ shall comply with the best management practices for torch-cutting operations, as described in Appendix A, at its Battle Creek and Flint facilities." The opacity which was observed on May 4, 2020, does not represent best management practices.

Please initiate actions necessary to correct the cited violations and submit a written response to this Violation Notice by August 11, 2020 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violations occurred; an explanation of the causes and duration of the violations; whether the violations are ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violations and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to EGLE, AQD, Lansing District, at Constitution Hall, 525 West Allegan Street, P.O. Box 30242, First Floor South, Lansing, Michigan 48909

Mr. Jason Roughton RJ Industrial Recycling Page 3 July 21, 2020

and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If RJ Torching believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above and for your cooperation in this matter. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,

Daniel A. McGeen Environmental Quality Analyst Air Quality Division 517-648-7547

#### **Enclosure**

cc: Ms. Louise Gross, United States Environmental Protection Agency

Mr. David Sutlin, United States Environmental Protection Agency

Mr. Manoikumar Patel, United States Environmental Protection Agency

Mr. Steven Ellis, United States Department of Justice

Mr. Neil Gordon, Department of Attorney General

Ms. Mary Ann Dolehanty, EGLE

Dr. Eduardo Olaguer, EGLE

Ms. Jenine Camilleri, EGLE

Mr. Christopher Ethridge, EGLE

Mr. Brad Myott, EGLE



## DEPARTMENT OF ENVIRONMENTAL QUALITY AIR QUALITY DIVISION

### VISIBLE EMISSION OBSERVATION FORM

Provided under authority of Public Act 451 of 1994

ESTABLISHMENT COUNTY ESTABLISHMENT NUMBER					
RJ Torc	avag	Genesel	N7885		
EQUIPMENT LOCATION	100 / 00/	DISTRICT	DATE MM DD YY		
Dort Highway		lansing	05 04 20		
CITY/TOWNSHIP	0	OBSERVER	CERTIFIED BY / DATE		
PROCESS EQUIPMENT	OPERATING MODE	M. Geen	ETA 10/2019		
Vyknown	UNKNOWN	BACKGROUND COLOR START / Lag STOP // Lague	SKY CONDITIONS STOP		
CONTROL EQUIPMENT	OPERATING MODE	START Black brown black brown wind speed	START STOPOVERUST WIND DIRECTION		
Nove	N.A.	START 15 mph STOP 10 mph	STARTINU STOPNIN		
DESCRIBE EMISSION POINT		AMBIENT TEMPERATURE	HUMIDITY		
Fughtive out of	Fugitive, out of sight behind fence		START May STOP Modi		
HEIGHT ABOVE GROUND LEVEL	HEIGHT RELATIVE TO OBSERVER	STARTS OF STOP SOURCE LAYOUT SKETCH	DRAW NORTH ARROW		
23'45'	3' 75		0>		
DISTANCE FROM OBSERVER	DIRECTION FROM OBSERVER				
350-400	West northwest		X EMISSION POINT		
DESCRIBE EMISSIONS HOCK AM	PHIME TYPE D CONTINUOUS	(Alecat)			
START Whe smalle di	ME STOP Honzental white smolle	(Overcast)			
	PLUME TYPE   CONTINUOUS	Sur			
START WHITE STOP	ĭ FUGITIVE ☐ INTERMITTENT	SUN ♥ WIND →			
WATER DROPLETS PRESENT?	IF WATER DROPLET PLUME	A-1 X 1-3	3 3		
NO ☐ YES	□ ATTACHED □ DETACHED	PLUME AND STACK (	OBSERVER'S POSITION		
POINT IN THE PLUME AT WHICH OPACITY WAS DETERMINED. 140°					
STARTAT NIGHT OF S. en	provide stright of sealing	me			
DESCRIBE BACKEROUND  START tought of sentrance  SUN LOCATION LINE  SUN LOCATION LINE  SUN LOCATION LINE  SUN LOCATION LINE					
Black tayle cars; woods stollage tame controlled					
\$ START TIME 11:11:00 AM STOP TIME 11: 25:45 ↓					
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15					
100					
95			X		
90		<u> </u>			
80			<del></del>		
75					
70					
65					
60 X	X X I I I I I I I I I I I I I I I I I I		X		
55 X		<del>                                     </del>	41111111111		
45	<del></del>	<del>                                     </del>	<del></del>		
40   X					
35					
30			X		
25		I M I I I I I I I I I I I I I I I I I I			
20	<del></del>	HILL KIND OF THE STATE OF THE S			
10	<del></del>		CONTINUED		
5	<del>1</del> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		PAGE 2		
0			4 X SC XX		
Mackey					
AVERAGE SUM OF ANY 24 CONSECUTIVE READINGS HIGHEST 6-MINUTE AVERAGE OPACITY 2ND HIGHEST 6-MINUTE AVERAGE OPACITY					
OPACITY = $24$ $785/24 = 32.71$ $760/24 = 31.67$					
COMMENTS 32.71% from 11:11:15 AM to 11:17:00 AM.					
32.71% from 11:11:15 AM to 11:17:00 AM. 31.67% from 11:11:00 AM to 11:16:45 AM.					
10 1 60 110W 11-11-00MM 10 11/10, 75 MM.					

11:33:00



