


STATE OF MICHIGAN

DEPARTMENT OF ENVIRONMENTAL QUALITY





KEITH CREAGH DIRECTOR

SRN: N7979, Van Buren County

June 2, 2016

Mr. William Dickerson William Dickerson Trucking, Inc. P.O. Box 188 Bloomingdale, Michigan 49026

Dear Mr. Dickerson:

VIOLATION NOTICE

On May 25, 2016, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of William Dickerson Trucking, Inc. (Facility), currently located at Lake Arvesta Farms, 66900 CR 388, South Haven, Michigan. The purpose of this inspection was to determine the Facility's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the administrative rules; and to investigate a recent complaint that the DEQ, AQD, received on May 9, 2016, regarding fugitive dust attributed to crushing operations.

During the inspection, staff of the AQD observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Crushing equipment	Special Use Condition 1.7 of Permit to Install No. 46-08	Failure to label all equipment using company ID numbers.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by June 23, 2016 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

If the Facility believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Mr. William Dickerson Page 2 June 2, 2016

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of the Facility. If you have any questions regarding the violation or the actions necessary to bring this Facility into compliance, please contact me at the telephone number listed below.

Sincerely,

Amanda Chapel

Environmental Quality Analyst

Air Quality Division

269-567-3551

AC:CF

Enclosure

cc: Ms. Lynn Fiedler, DEQ

Ms. Teresa Seidel, DEQ

Ms. Heidi Hollenbach, DEQ

Mr. Thomas Hess, DEQ

Ms. Mary Douglas, DEQ