DEPARTMENT OF ENVIRONMENTAL QUALITY AIR QUALITY DIVISION

FCE Summary Report

Facility: North American Natural Resources (NANR)			SR	N :	P0415		
Location: 4143 E. Rathburn Road			Dis	trict:	Saginaw Bay		
					Co	unty:	SAGINAW
City: BIRCH	RUN S	tate: MI	Zip Code :	48415	Compliance Status :)	Compliance
Source Class:	MAJOR				Staff:	Gina N	/lcCann
FCE Begin Date:	2/3/2014				FCE Com	pletion	3/20/2015
Comments :							

List of Partial Compliance Evaluations:

Activity Date	Activity Type	Compliance Status	Comments
03/19/2015	ROP Annual Cert	Compliance	11/24/2014 at 11:00, the main pump failed causing the plant to shut down. The flare was started up at 12:30. Total down time was 1.5 hours. glm
03/19/2015	ROP SEMI 2 CERT	Compliance	11/24/2014 at 11:00, the main pump failed causing the plant to shut down. The flare was started up at 12:30. Total down time was 1.5 hours. glm
03/19/2015	NSPS (Part 60)	Compliance	11/24/2014 at 11:00, the main pump failed causing the plant to shut down. The flare was started up at 12:30. Total down time was 1.5 hours. glm
03/19/2015	03/19/2015 MAERS		MAERS was received on 3/13/2015. Reviewing for accuracy. glm

Activity Date	Activity Type	Compliance Status	Comments
03/19/2015	MACT (Part 63)	Compliance	SSM Report. 12 GCCS startup events occurred all consistent with the SSM Plan, 6 GCCS shutdown events occurred, all consistent with the SSM Plan, 5 GCCS malfunction events occurred, all consistent with the plan. No plan revisions. 7/27/14 Treatment system, loss of power-utility down (0.5 hours); 9/04/14 Treatment system-damage to headerline (0.25 hours); 10/03/14 Treatment system (engine 5), raptor valve failure (151.25 hours); 11/23/14 Treatment system down, condensate pump failure (62.00 hours); 12/16/2014 Treatment system (engine 5), automatic shurdown of protective system (4.00 hours). glm
03/09/2015	Scheduled Inspection	Pending	Full compliance inspection to determine compliance with MI-ROP-P0415-2014. glm
03/05/2014	Other		Reporting through the end of 2014 is logged under N5397 (People's) because their new ROP was not effective until Feb. 2014. glm

Name: Supervisor: O. Mace
Page 2 of 2