

STATE OF MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY GRAND RAPIDS DISTRICT OFFICE



DIRECTOR

July 11, 2017

Mr. Jack Hoffman Worthen Coated Fabrics 1125 41st Street SE Grand Rapids, Michigan 49508

Dear Mr. Hoffman:

SRN: P0634, Kent County

VIOLATION NOTICE

On July 3, 2017, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted a review of information provided by Worthen Coated Fabrics located at 1125 41st Street SE, Grand Rapids, Michigan. The purpose of this review was to determine Worthen Coated Fabrics' compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the Air Pollution Control Rules; and the conditions of Permit to Install (PTI) number 151-15

During the information review, staff observed the following:

| | Rule/Permit | |
|---------------------|---|--|
| Process Description | Condition Violated | Comments |
| EU-FabricCoating | PTI No. 151-15, Special Condition IV.1 | Failure to operate the regenerative thermal oxidizer during solventbased coating application. |
| FG-MACT-0000 | PTI No. 151-15, Special Condition III.6(a) | Failure to operate the regenerative thermal oxidizer during solvent-based coating application. |

The AQD recognizes that Worthen Coated Fabrics has identified in a letter dated June 27, 2017, that the Start-up, Shut-down, Malfunction Plan and the Malfunction Abatement Plan (MAP) will be updated to reflect the corrective actions taken. Please note that PTI No. 151-15 requires that if at any time the MAP fails to address an event, the MAP shall be amended within 45 days after the event occurs. The permittee shall submit the MAP for review and approval.

Mr. Jack Hoffman Worthen Coated Fabrics Page 2 July 11, 2017

If Worthen Coated Fabrics believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violations cited above. If you have any questions regarding the violations or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,

April Lazzaro

Senior Environmental Quality Analyst

Air Quality Division 616-356-0248

cc: Ms. Heidi Hollenbach, DEQ

cc/via e-mail: Ms. Lynn Fiedler, DEQ

Ms. Mary Ann Dolehanty, DEQ Mr. Christopher Ethridge, DEQ

Mr. Thomas Hess, DEQ