	AIR QUALITY DIVISION ACTIVITY REPORT: Other	
P113163420		
FACILITY: Treasured Pal, LLC		SRN / ID: P1131
LOCATION: 50669 Central Industrial, SHELBY TWP		DISTRICT: Warren
CITY: SHELBY TWP		COUNTY: MACOMB
CONTACT: Guido Amatangelo, Owner		ACTIVITY DATE: 06/23/2022
STAFF: Shamim Ahammod	COMPLIANCE STATUS: Compliance	SOURCE CLASS: MINOR
SUBJECT: The purpose of the ins	spection was to verify whether the company removed	d or dismantled the crematory.
RESOLVED COMPLAINTS:		

DEPARTMENT OF ENVIRONMENTAL QUALITY

On June 23, 2022, the Michigan Department of Environment, Great Lakes and Energy (EGLE) -Air Quality Division (AQD) staff, I (Shamim Ahammod) conducted an onsite inspection of Treasured Pal LLC (SRN: P1131) located at 50669 Central Industrial, Shelby Twp, Michigan.

The purpose of the inspection was to verify whether the company removed or dismantled the crematory.

Inspection Arrangement

On March 17, 2022, AQD issued a violation notice (VN) to the Treasured Pal for violating the permit conditions EUCREMATORY1 SC III.1, III.2, and IV.1 of PTI No. 71-20. The Treasured Pal did not respond to the VN by April 7, 2022.

On June 22, 2022, I made a phone call to the facility. John Cream, Operation Manager of Loyal Paws received the phone call. I introduced myself and explained the purpose of the phone call. I called the facility to ask about the response to the violation. John Cream said the Treasured Pal has removed all equipment and sent it to Nevada. The Treasured Pal directed their phone number to the Loyal Paws' phone number. During our phone call conversation, I scheduled an onsite visit to see whether the facility remove the equipment or not.

Onsite Inspection

On June 23, 2022, at 2 PM, I arrived at the facility and met with John Cream. I introduced myself, provided credentials, and stated the purpose of the inspection.

At the time of inspection, I observed there was no crematory inside the building. I took several pictures and attached them to this report.

I will send an email request to Ms. Sue Thelen, of the AQD Permit Section to void PTI No. 71-20.

Based on the onsite inspection, the facility no longer operates at this location. Therefore, the violations are considered resolved.




Image 1(image 1) : There is no crematory inside the building.




Image 2(image 2) : There is no crematory inside the building.



Image 3(image 3) : There is no crematory inside the building.




Image 4(image 4) : There is no crematory inside the building.

NAME Shamim Ahammod

DATE 7/6/2022 SUPERVISOR K. Kelly