



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
JACKSON DISTRICT OFFICE



C. HEIDI GREYER
DIRECTOR

September 6, 2017

CERTIFIED MAIL – 7010 0290 0000 3734 2262
RETURN RECEIPT REQUESTED

Carleton Iron & Metals
116 Pine Street
Carleton, Michigan 48197

SRN: U5817006430, Monroe County

Dear Mr. Shaun LaPointe:

VIOLATION NOTICE

On August 17, 2017, the Department of Environmental Quality (DEQ), Air Quality Division (AQD), conducted an inspection of Carleton Iron & Metals(Company) located at 116 Pine Street, Carleton, Michigan. The purpose of this inspection was to determine the Company's compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451) and associated Air Pollution Control Rules.

During the inspection, AQD staff observed the following:

Process Description	Rule/Permit Condition Violated	Comments
Evidence of torch cutting of metal being conducted outside on the ground on a regular basis.	Rule 201. No Permit to Install (PTI).	As of December 20, 2016, there is no longer an applicable exemption to the requirement to obtain a PTI from this type of torch cutting process.

Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by September 27, 2017. The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

If Company believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my inspection of the Company. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Mike Kovalchick
Senior Environmental Engineer
Air Quality Division
517-780-5496

cc: Mr. Scott Miller, DEQ

cc/via e-mail: Ms. Lynn Fiedler, DEQ

Ms. Mary Ann Dolehanty, DEQ

Mr. Chris Etheridge, DEQ

Mr. Thomas Hess, DEQ