



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY  
BAY CITY DISTRICT OFFICE

**EGLE**  
LIESL EICHLER CLARK  
DIRECTOR

July 1, 2021

Ed Furton  
Techni-Comp Environmental  
4200 Dove Road  
Port Huron, Michigan 48060

SRN: U762103183, St. Clair County

Dear Mr. Furton:

**VIOLATION NOTICE**

On June 29, 2021, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), verified crushing activities by Techni-Comp Environmental located at Parcel ID No. 310-220-003-015-00, Crosswell, Michigan. The purpose of the follow up activities were to verify compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the Air Pollution Control Rules; and investigate a recent call which was received on June 28, 2021, regarding onsite crushing operations.

Staff determined the following:

Process Description	Rule/Permit Condition Violated	Comments
Crusher	Rule 201	Operating without a permit to install

A call was received on June 28, 2021, regarding crushing operations at a site located in Crosswell, Michigan. In subsequent phone conversations, it was noted that Techni-Comp Environmental had located and commenced operation of unpermitted crushing equipment at this facility. The AQD staff advised Techni-Comp Environmental on June 29, 2021, that this is a violation of Rule 201 of the administrative rules promulgated under Act 451.

A program for compliance may include a completed Permit to Install (PTI) application for the crusher process equipment. An application form is available by request, or at the following website: [www.michigan.gov/air](http://www.michigan.gov/air) (in the shaded box on the upper right-hand side of the page).

Be advised that Rule 201 requires that a permit be obtained prior to installation, construction, operation, reconstruction, relocation, or alteration of any process or process equipment which may be a source of an air contaminant.

Ed Furton  
Techni-Comp Environmental  
Page 2  
July 1, 2021


Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by July 22, 2021 (which coincides with 21 calendar days from the date of this letter). The written response should include: the dates the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to EGLE, AQD, Bay City District, at 401 Ketchum Street, Suite B, Bay City, Michigan 48708 and submit a copy to Ms. Jenine Camilleri, Enforcement Unit Supervisor at EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If Techni-Comp Environmental believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above and for the cooperation that was extended to me during my follow with Techni-Comp Environmental. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below.

Sincerely,



Adam Shaffer  
Environmental Quality Analyst  
Air Quality Division  
989-225-4789

cc: Ms. Mary Ann Dolehanty, EGLE  
Dr. Eduardo Olaguer, EGLE  
Ms. Jenine Camilleri, EGLE  
Mr. Christopher Ethridge, EGLE  
Mr. Chris Hare, EGLE  
Mr. Samuel Moore, City of Croswell  
Mr. Ryan Bauer, Boddy Construction Company, Inc.