



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY  
DETROIT DISTRICT OFFICE



LIESL EICHLER CLARK  
DIRECTOR

June 30, 2022

Jeffery Dobek, Assistant City Manager  
City of Riverview  
14100 Civic Park Drive  
Riverview, Michigan 49193-7600

SRN: M4469, Wayne County

Dear Jeff Dobek:

**VIOLATION NOTICE**

On June 22, 2022, the Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD), investigated complaints of nuisance odors in the vicinity of Riverview Land Preserve, located at 20863 Grange Road, Riverview, Michigan. The purpose of the investigation was to determine Riverview Land Preserve’s compliance with the requirements of the federal Clean Air Act; Part 55, Air Pollution Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Act 451); the Air Pollution Control Rules; and the conditions of Renewable Operating Permit (ROP) number MI-ROP-M4469-2015a.

AQD staff performed the investigation from approximately 5:10 PM to 6:20 PM on June 22, 2022. During this investigation, AQD staff observed the following violation:

Process Description	Rule/Permit Condition Violated	Comments
EULANDFILL	R 336.1901(b);  ROP No. MI-ROP-M4469-2015a, Section 2 – General Condition 12(b)	Moderate to strong (Level 3 and 4), persistent garbage odors observed emitting from the facility and impacting nearby neighborhoods.

R 336.1901(b) states, in part:

“A person shall not cause or permit the emission of an air contaminant in quantities that cause injurious effects to human health and property, or the unreasonable interference with the comfortable enjoyment of life and property.”

During the investigation of June 22, 2022, AQD staff detected moderate to strong, persistent garbage odors in residential areas downwind of Riverview Land Preserve which were determined to be attributable to the facility’s operations. In the professional judgment of AQD staff, the odors observed were of sufficient intensity and duration so

Jeffrey Dobek  
City of Riverview  
Page 2  
June 30, 2022

as to constitute a violation of R 336.1901(b) and Section 2, General Condition 12(b) of ROP No. MI-ROP-M4469-2015a.


Please initiate actions necessary to correct the cited violation and submit a written response to this Violation Notice by July 21, 2022 (which coincides with 21 calendar days from the date of this letter). The written response should include: the date the violation occurred; an explanation of the causes and duration of the violation; whether the violation is ongoing; a summary of the actions that have been taken and are proposed to be taken to correct the violation and the dates by which these actions will take place; and what steps are being taken to prevent a reoccurrence.

Please submit the written response to the EGLE, AQD, Detroit District, at 3058 West Grand Boulevard, Suite 2-300, Detroit, Michigan 48202 and submit a copy to Jenine Camilleri, Enforcement Unit Supervisor at the EGLE, AQD, P.O. Box 30260, Lansing, Michigan 48909-7760.

If Riverview Land Preserve believes the above observations or statements are inaccurate or do not constitute violations of the applicable legal requirements cited, please provide appropriate factual information to explain your position.

Thank you for your attention to resolving the violation cited above. If you have any questions regarding the violation or the actions necessary to bring this facility into compliance, please contact me at the number listed below or at [lambj1@michigan.gov](mailto:lambj1@michigan.gov).

Sincerely,



Jonathan Lamb  
Senior Environmental Quality Analyst  
Air Quality Division  
313-456-4683

cc: Patrick Cullen, Wayne County Dept. of Public Services  
Mary Ann Dolehanty, EGLE  
Dr. Eduardo Olaguer, EGLE  
Christopher Ethridge, EGLE  
Jenine Camilleri, EGLE  
Mary Carnagie, EGLE  
Greg Morrow, EGLE  
Dr. April Wendling, EGLE  
Jeff Korniski, EGLE