

DEPARTMENT OF ENVIRONMENTAL QUALITY

AIR QUALITY DIVISION

FCE Summary Report

Facility : Asahi Kasei Plastics North America, inc.	SRN : N6707
Location : 900 E. Van Riper Rd.	District : Lansing
	County : LIVINGSTON
City : FOWLerville State: MI Zip Code : 48836	Compliance Status : Compliance
Source Class : SM OPT OUT	Staff : Daniel McGeen
FCE Begin Date : 9/22/2022	FCE Completion Date : 9/29/2023
Comments :	

List of Partial Compliance Evaluations :

Activity Date	Activity Type	Compliance Status	Comments
03/13/2023	MAERS	Compliance	2022 MAERS received electronically. VOC 3.42 TPY. MK
12/02/2022	Odor Evaluation	Compliance	Odor evaluation due to complaints of chemical, burning plastic and fertilizer odors in Fowlerville.
11/14/2022	Complaint Investigation	Compliance	Complaint investigation of 4 recent odor complaints.
11/11/2022	Odor Evaluation	Compliance	odor evaluation due to recent hot burning plastic and fertilizer complaints in Fowlerville.
11/10/2022	Complaint Investigation	Compliance	Investigation of complaint which was received the previous day, shortly after AQD had completed an odor evaluation. A new complaint was received during today's complaint investigation.
11/09/2022	Odor Evaluation	Compliance	Odor evaluation of Asahi Kasei Plastics, N6707.
11/07/2022	Complaint Investigation	Compliance	Investigation of complaint of odors reported to have taken place on Saturday, 11/5/2022.
11/04/2022	Complaint Investigation	Compliance	Investigation of 6 recent odor complaints.
11/02/2022	Odor Evaluation	Compliance	Odor evaluation as further follow up to recent complaint investigations.
10/26/2022	Complaint Investigation	Compliance	Complaint investigation of 16 recent odor complaints, 4 of those from 10/24, 11 from 10/25, and 1 from 10/26/2022.

Activity Date	Activity Type	Compliance Status	Comments
10/22/2022	Other	Compliance	VOC ambient air monitoring conducted by AQD Jackson District Office inspector Mike Kovalchick, on Saturday, 10/22/2022, to assist the Lansing District Office.
10/21/2022	Complaint Investigation	Compliance	Complaint investigation of 5 odor complaints received on 10/21/2022.
10/20/2022	Complaint Investigation	Compliance	Complaint investigation of 5 odor complaints received on 10/18/2022, and of a 6th complaint, received in person on 10/20, during this complaint investigation.
10/17/2022	Complaint Investigation	Compliance	Complaint investigation, odor evaluation, and discussion of changeout of approx. 20 tons of carbon from carbon filter.
10/12/2022	On-site Inspection	Compliance	Inspection in response to 8 odor complaints received on 10/12/2022, reporting industrial odors ranging from chlorine, to plastic, burnt plastic, or fertilizer.

Name: 

Date: 9/29/2023

Supervisor: 