



Michael Conklin  
State of Michigan Department of Environmental Quality  
Upper Peninsula District  
Air Quality Division  
1504 West Washington Street  
Marquette, MI 49855

February 28, 2019

Received DEQ/AQD	
MAR 01 2019	
MACES _____	MAERS: _____
FILE: _____	
CC: _____	

*Est*  
*3/1/19*

Dear Mr. Conklin:

Subject: OcuGlass Violation of Rule R 336.1201

In response to your visit on February 7, 2019 and your letter dated February 22, 2019, I am providing you with our planned response to the violation. We look forward to working with you and the DEQ to ensure that this plan is followed, and requirements are met in a timely manner.

It is our understanding that during your visit on February 7<sup>th</sup>, it was found that we are in violation of Rule R 336.1201 due to our installation of an air scrubber without receiving a Permit to Install (PTI). It is our belief that the equipment has been installed and in-use since sometime in 2015. We continue to be in violation of the Rule as we put together the information required to receive the appropriate PTI. We have started to collect this information and plan to submit the PTI Application to the DEQ before March 14<sup>th</sup>, 2019.

OcuGlass is committed to working with all divisions of the DEQ to ensure that we are compliant. We put a high priority on safety, not only for our employees, but for the environment. We understand that the DEQ is an asset to our company and we have every intent to utilize their assistance in the future.

If you have questions, please feel free to contact me at any time via phone (906).483.3953 or email [brad.aldrich@ocuglass.net](mailto:brad.aldrich@ocuglass.net).

Sincerely,

Brad Aldrich  
Chief Executive Officer  
OcuGlass, LLC

Enclosures

cc: Steve Williams, OcuGlass  
Jenine Camilleri, DEQ